

## Third Party Software Programs

### Exuberant Ctags v5.7

Software from Ideagen plc ("Ideagen Software") invokes an unmodified executable program, Exuberant Ctags v5.7, using fork and exec functionality. Exuberant Ctags is a multilanguage reimplementation of the Unix ctags utility. Ctags generates an index of source code definitions which is used by numerous editors and utilities to instantly locate the definitions.

Exuberant Ctags is available for general use under the conditions of the GNU General Public License. You should be aware of the terms and conditions of this license, a copy of which can be accessed at [www.gnu.org/licenses/gpl.html](http://www.gnu.org/licenses/gpl.html) or by writing to Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. Exuberant Ctags comes with ABSOLUTELY NO WARRANTY.

Exuberant Ctags copyright Darren Hiebert <dhiebert at users.sourceforge.net> but including some GPL source code from other authors - See the copyright notices in the individual source files for details.

### SQL Express (Ideagen cloud hosted services only)

Ideagen's hosted services utilize Microsoft® SQL Server ®Express software . Ideagen indemnifies and holds Microsoft harmless from any violation of the Microsoft licensing terms for SQL Server Express.

## Third Party Components

Ideagen Software includes a number of third party components as follows:

### FileHelpers Library v2.0

FileHelpers is available for general use under the conditions of the GNU Lesser General Public License. You should be aware of the terms and conditions of this license, a copy of which can be accessed at [www.gnu.org/licenses/lgpl.html](http://www.gnu.org/licenses/lgpl.html) or by writing to Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. FileHelpers Library is ©Copyright 2005 to Marcos Meli.

### IE Web Controls

IE Web Controls is supplied as an unmodified component. IE Web Controls Copyright Microsoft Corporation.

### iTextSharp v4.1.6

iTextSharp v4.1.6 is supplied as a modified component. A copy of the source code is available on request. iTextSharp is a library that allows the user to generate PDF files. iTextSharp is available for general use under the conditions of the GNU Lesser General Public License. You should be aware of the terms and conditions of this license, a copy of which can be accessed at [www.gnu.org/licenses/lgpl.html](http://www.gnu.org/licenses/lgpl.html) or by writing to Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. iTextSharp comes with ABSOLUTELY NO WARRANTY. The Initial Developer of the Original Code is Bruno Lowagie. Portions created by the Initial Developer are Copyright (C) 1999-2007 by Bruno Lowagie. All Rights Reserved. Co-Developer of the code is Paulo Soares. Portions created by the Co-Developer are Copyright (C) 2000-2007 by Paulo Soares. All Rights Reserved.

### **iText 7 Core & pdfSweep v7.1**

Parts of PDF processing in PleaseReview is done by using iText 7 Core and pdfSweep v7.1 which is owned and copyrighted by iText Group NV. iText 7 Core is used to program PDF documents and pdfSweep is an iText 7 add-on for data redaction. iText Core & pdfSweep v7.1 are available under open source (AGPL) as well as a commercial license. Commercial license is purchased under company name Ideagen PLC and has been included as closed-source in PleaseReview. iText contains a number of third party components, details of which can be found at:

<https://itextpdf.com/en/how-buy/legal/copyright-intellectual-property>

### **Aspose.Total for .NET**

Aspose.Total for .NET is used in PleaseReview to convert PDF to certain image types and is licensed under Site OEM type license by © Aspose Pty Ltd 2001-2022. A Site OEM License allows developers to create an unlimited number of end user software using the product which can be used at an unlimited number of physical locations (distinct address or office building) within or outside of your organization. It allows distribution of end user software to third parties, public facing websites/applications, extranets, multi-site intranets or SaaS project usage scenarios. More license details at:

<https://purchase.aspose.com/policies/license-types/>

### **jsDiff.js**

jsDiff is a Javascript Diff Algorithm written by John Resig, modified by Chu Alan "sprite".

It is released under the MIT - <https://opensource.org/licenses/MIT>

More info: <http://ejohn.org/projects/javascript-diff-algorithm/>

### **KnockoutJS**

Knockout is a standalone JavaScript implementation of the Model-View-ViewModel pattern with templates which is licensed under the MIT license:

The MIT License (MIT) - <https://opensource.org/licenses/MIT>

Copyright (c) Steven Sanderson, the Knockout.js team, and other contributors

<http://knockoutjs.com/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

### **Magic Library v1.7.4**

Magic Library v1.7.4 is supplied as an unmodified component – see [www.dotnetmagic.com](http://www.dotnetmagic.com). Magic Library allows the user to reposition tool windows. Magic Library is available for general use under the conditions of the GNU General Public License. You should be aware of the terms and conditions of this license, a copy of which can be accessed at [www.gnu.org/licenses/gpl.html](http://www.gnu.org/licenses/gpl.html) or by writing to Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. Magic Library comes with ABSOLUTELY NO WARRANTY. Magic Library copyright (c) Crownwood Consulting Limited 2002-2003.

**SharpZipLib v0.84**

SharpZipLib v0.84 is supplied as an unmodified component. SharpZipLib is a Zip, GZip, Tar and BZip2 library. SharpZipLib is available for general use under the conditions of the GNU General Public License. You should be aware of the terms and conditions of this license, a copy of which can be accessed at [www.gnu.org/licenses/gpl.html](http://www.gnu.org/licenses/gpl.html) or by writing to Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. SharpZipLib comes with ABSOLUTELY NO WARRANTY. SharpZipLib Copyright (C) 2001 Mike Krueger; Copyright (C) 2004-2005 John Reilly.

**TinyMce**

TinyMce v4.2.8 is supplied as a modified component. A copy of the source code is available on request. TinyMce is a Javascript HTML WYSIWYG editor control. TinyMce is available for general use under the conditions of the GNU Lesser General Public License. You should be aware of the terms and conditions of this license, a copy of which can be accessed at [www.gnu.org/licenses/lgpl.html](http://www.gnu.org/licenses/lgpl.html) or by writing to Free Software Foundation, Inc. Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. TinyMce comes with ABSOLUTELY NO WARRANTY. TinyMce copyright © 2004-2007, Moxiecode Systems AB.

**Wilco Syntax Highlighting**

Wilco Syntax Highlighting v0.5 is supplied as an unmodified component. Wilco Syntax Highlighting is available for general use under the terms of the Microsoft Public License, a copy of which is available at <https://msdn.microsoft.com/en-us/library/ff648068.aspx>

**Axis****Log4Net****Xalan-C****Xerces-C**

Axis v1.4, Log4Net v1.2, Xalan-C v1.10.0 and Xerces-C v2.7.0 are supplied as unmodified components and made available under the Apache License, Version 2.0 ("Apache license"); you may not use these files except in compliance with the Apache License. You may obtain a copy of the Apache License at <http://www.apache.org/licenses/LICENSE-2.0>.

Unless required by applicable law or agreed to in writing, software distributed under the Apache License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Apache License for the specific language governing permissions and limitations under the License.

**Word® 2003 XML Viewer**

Word 2003 XML Viewer is supplied as an XSLT file which is copyright Microsoft Corporation.

**DocumentBuilder 2.0**

DocumentBuilder 2.0, which is part of PowerTools for OpenXml, is an unmodified component used in the merging of documents which is copyright (c) Microsoft Corporation 2011. The code is licensed using the Microsoft Public License (Ms-PL). The text of the license can be found here:

<http://www.microsoft.com/en-us/openness/resources/licenses.aspx#MPL>

**RomanToNumber**

RomanToNumber is an algorithm used to convert Roman numerals to numbers and is provided free of restrictions. See <http://www.blackwasp.co.uk/RomanToNumber.aspx> for further details.

**DotNetZip library**

DotNetZip is the name of an open-source project that delivers a .NET library for handling ZIP files, and some associated tools. It is used in object code form and is licensed using the Microsoft Public License (Ms-PL). The text of the license can be found here:

<https://msdn.microsoft.com/en-us/library/ff648068.aspx>

The following notices and conditions apply to DotNetZip:

DotNetZip is derived in part from ZLIB, the C-language library by Mark Adler and Jean-loup Gailly . The managed ZLIB code included in the Ionic.Zlib.dll and Ionic.Zip.dll components of DotNetZip is modified code, based on jzlib.

The following notice applies to jzlib:

-----

Copyright (c) 2000,2001,2002,2003 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

jzlib is based on zlib-1.1.3.

The following notice applies to zlib:

-----

Copyright (C) 1995-2004 Jean-loup Gailly and Mark Adler

The ZLIB software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly [jloup@gzip.org](mailto:jloup@gzip.org)

Mark Adler [madler@alumni.caltech.edu](mailto:madler@alumni.caltech.edu)

## jQuery

jQuery is a JavaScript Library that is used unmodified throughout Ideagen Software. jQuery is licensed under the MIT license, a copy of which is reproduced below. jQuery is subject to the following copyright notice:

jquery.js (v3.5.1) Copyright 2020 The jQuery Foundation  
(<https://jquery.org/license/>)

jquery.js (v1.7.2) Copyright (c) 2011 John Resig  
(<https://jquery.org/license/>)

The following plugins to jQuery are also licensed under the MIT license. The associated copyright notice for each plugin is as follows:

<u>Plugin</u>	<u>Copyright notice</u>
jquery-ui.js (v1.13.0)	Copyright jQuery Foundation and other contributors, ( <a href="https://jquery.org/">https://jquery.org/</a> )
Jquery.cookie.js	Copyright © 2006 Klaus Hartl (stilbuero.de)
jquery.corners.js(v0.3)	Copyright © 2008 David Turnbull, Steven Wittens
Jquery.hoverintent.js	[not supplied]
jquery.qtip.min.js	Copyright © 2009-2010 Craig Michael Thompson – <a href="http://craigsworks.com">http://craigsworks.com</a>
jquery.layout.js (v1.4.4)	Copyright © 2014 Kevin Dalman ( <a href="http://jquery-dev.com">http://jquery-dev.com</a> )
jquery.countdown.js (v2.1.0)	Copyright © 2007 - 2015 Keith Wood ( <a href="http://keith-wood.name/licence.html">http://keith-wood.name/licence.html</a> )
jquery-getscrollbarwidth.js	Copyright © 2008 Brandon Aaron ( <a href="mailto:brandon.aaron@gmail.com">brandon.aaron@gmail.com</a>   <a href="http://brandonaaron.net">http://brandonaaron.net</a> )
jquery.browser.js	Copyright © 2008 Jonathan Neal
jquery.mobile-events.min.js (v1.0.0)	Copyright © 2011, Ben Major
jquery.watermark.js (v3.2.0)	Copyright © 2009-2014 Todd Northrop <a href="http://www.speednet.biz/">http://www.speednet.biz/</a>
jquery.watermark.min.js (v3.2.0)	Copyright © 2009-2014 Todd Northrop <a href="http://www.speednet.biz/">http://www.speednet.biz/</a>
jquery.data.js	Copyright © 2009-2010 Todd Northrop <a href="http://www.speednet.biz/">http://www.speednet.biz/</a>
jquery.hotkeys.min.js Based upon the plugin by Tzury Bar Yochay:	Copyright © 2010, John Resig <a href="http://github.com/tzuryby/hotkeys">http://github.com/tzuryby/hotkeys</a> Original idea by: Binny V A, <a href="http://www.openjs.com/scripts/events/keyboard_shortcuts/">http://www.openjs.com/scripts/events/keyboard_shortcuts/</a>

qTip <sup>2</sup> (3.0.3)	Copyright © 2011-2020 Craig Michael Thompson
jquery.ui.touch-punch.min.js (v0.2.3)	Copyright © 2011–2014, Dave Furfero
Dual licensed under the MIT or GPL Version 2 licenses	
jstree.js (v3.3.10)	Copyright © 2014 Ivan Bozhanov
moment.js (v2.29.4)	authors : Tim Wood, Iskren Chernev, Moment.js contributors
mustache.js (v3.1.0)	Copyright © 2009 Chris Wanstrath (Ruby)
Copyright © 2010-2014 Jan Lehnardt (JavaScript)	
Copyright © 2010-2015 The mustache.js communit	
Underscore.min.js (v1.10.2)	Copyright © 2009-2020 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors
Dropzone.js (v4.3.0)	Copyright © 2012 Matias Meno <m@tias.me>
jquery.autocomplete.js (v1.3.0)	Copyright © 2012 DevBridge and other contributors
<a href="http://www.devbridge.com/projects/autocomplete/jquery/">http://www.devbridge.com/projects/autocomplete/jquery/</a>	
Jquery.dropdown.js	Copyright © 2014 Dane Williams
The MIT License (MIT) - <a href="https://opensource.org/licenses/MIT">https://opensource.org/licenses/MIT</a>	

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

### **jQuery Migrate v3.3.0**

jQuery Migrate Plugin is created to simplify migration of older code to version 3.0.

Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-migrate>

The following license applies to all parts of this software except as documented below:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

#### **Templarian icons**

A small number of icons from [http://templarian.com/project\\_windows\\_phone\\_icons](http://templarian.com/project_windows_phone_icons) are licensed under the creativecommons license which can be found at <http://creativecommons.org/licenses/by/3.0/>. There is no copyright attribution for these icons.

#### **OpenSSL toolkit**

The PDF Plug-In includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>). The OpenSSL toolkit is an SSL implementation library and operates under a dual license, with both the conditions of the OpenSSL License and the original SSLeay license applying to the toolkit. The respective licenses can be found at <http://www.openssl.org/source/license.html>. OpenSSL License Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved. SSLeay License Copyright (C) 1995-1998 Eric Young ([eyay@cryptsoft.com](mailto:eyay@cryptsoft.com)). All rights reserved.

#### **OpenSSL Disclaimer Notice:**

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#### **SSLeay Disclaimer Notice:**

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#### **Microsoft ASP.NET Redistributable components**

PleaseReview includes redistributable components from Microsoft ASP.NET. These are included under the following license:

[http://www.microsoft.com/web/webpi/eula/aspnet\\_and\\_web\\_tools\\_2012\\_2\\_rtw\\_eula\\_enu.htm](http://www.microsoft.com/web/webpi/eula/aspnet_and_web_tools_2012_2_rtw_eula_enu.htm)

### **ANTLR v3**

ANTLR (ANother Tool for Language Recognition) is a powerful parser generator for reading, processing, executing, or translating structured text or binary files. ANTLR is Copyright (c) 2010 Terence Parr and is released under the BSD License. <http://www.antlr3.org/license.html>

#### **Antlr Disclaimer Notice:**

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

### **Modernizr 2.6.2**

Modernizr is a JavaScript feature detection library. Modernizr is Copyright (c) Faruk Ates, Paul Irish, Alex Sexton and is released under the MIT License

The MIT License (MIT) - <https://opensource.org/licenses/MIT>

#### **Modernizr Disclaimer Notice:**

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

### **Simple AJAX Code-Kit (SACK)**

Simple AJAX Code-Kit (SACK) is a simple JavaScript library that provides AJAX communication support and is licensed under the MIT license, Copyright © 2005 Gregory Wild-Smith. Authors Website: <http://www.twilightuniverse.com/>

The MIT License (MIT) - <https://opensource.org/licenses/MIT>

### **Ajax Dynamic Content**

Ajax Dynamic Content loads content of external files into a HTML element. Ajax Dynamic Content is available for general use under the conditions of the GNU Lesser General Public License. You should be aware of the terms and conditions of this license, a copy of which can be accessed at [www.gnu.org/licenses/lgpl.html](http://www.gnu.org/licenses/lgpl.html) or by writing to Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. Ajax Dynamic Content is Copyright (C) 2006 DHTMLGoodies.com, Alf Magne Kalleland.

### **Cool DHTML Tooltip II**

Cool DHTML Tooltip II displays additional information about a link or other element when moused over. DHTML scripts terms of use can be found at <http://www.dynamicdrive.com/notice.htm>

\*\*\*\*\*

\* Cool DHTML tooltip script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)

\* Please keep this notice intact

\* Visit Dynamic Drive at <http://www.dynamicdrive.com/> for full source code

\*\*\*\*\*

### **Cross Browser marquee II**

Cross Browser marquee II is an up-down scrolling marquee. The Dynamic Drive DHTML scripts terms of use can be found at <http://www.dynamicdrive.com/notice.htm>



\*\*\*\*\*

\* Cross browser Marquee II- (c) Dynamic Drive (www.dynamicdrive.com)

\* Please keep this notice intact

\* Visit <http://www.dynamicdrive.com/> for this script and 100s more.

\*\*\*\*\*

#### **Autosize v4.0.0**

Autosize is a stand-alone script to automatically adjust textarea height to fit text and is licensed under the MIT license, Copyright (c) 2015 Jack Moore.

The MIT License (MIT) - <https://opensource.org/licenses/MIT>

#### **Bootstrap 4.5.2**

Bootstrap is a framework for developing responsive web applications.

Bootstrap is licensed under MIT license - <https://opensource.org/licenses/MIT>

Copyright (c) 2011-2020 Twitter, Inc.

Copyright (c) 2011-2020 The Bootstrap Authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Bootstrap includes the glyphs from the Glyphicons Halflings set. See <http://glyphicons.com/> and <http://getbootstrap.com/components/>.

#### **Bootstrap Datepicker v1.9.0**

Bootstrap-datepicker.js is a datepicker for @twitter and is supplied as an unmodified component and made available under the Apache License, Version 2.0 ("Apache license"), Copyright 2012 Stefan Petre Improvements by Andrew Rowls. You may not use these files except in compliance with the Apache License. You may obtain a copy of the Apache License at <http://www.apache.org/licenses/LICENSE-2.0>.

Unless required by applicable law or agreed to in writing, software distributed under the Apache License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Apache License for the specific language governing permissions and limitations under the License.

#### **Bootstrap Modal v4.5.2**

Bootstrap modals are lightweight and multi-purpose popups. Modals are split into three primary sections: header, body, and footer. Each has its role and so should be used accordingly.

Copyright 2011-2020 The Bootstrap Authors (<https://github.com/twbs/bootstrap/graphs/contributors>)

Bootstrap modal is licensed under MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

**Bootstrap Util v4.5.2**

Util.js includes utility functions and a basic helper for transitionEnd events as well as a CSS transition emulator. It's used by the other plugins to check for CSS transition support and to catch hanging transitions.

Copyright 2011-2020 The Bootstrap Authors (<https://github.com/twbs/bootstrap/graphs/contributors>)

Bootstrap util is licensed under MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

**Bootstrap Select v1.13.18**

Bootstrap-select is a jQuery plugin that utilizes Bootstrap's dropdown.js to style and bring additional functionality to standard select elements.

Copyright © 2012-2020 SnapAppointments, LLC

Bootstrap select is licensed under MIT license (<https://github.com/snapappointments/bootstrap-select/blob/master/LICENSE>)

**Font-awesome**

Font-awesome is a font and CSS toolkit. Font-awesome CSS and LESS files are licensed under the MIT license: <https://opensource.org/licenses/MIT>

Font Awesome by Dave Gandy - <http://fontawesome.io>

**Bundle Transformer**

BundleTransformer.Core is a modular extension for System.Web.Optimization (also known as the Microsoft ASP.NET Web Optimization Framework) replacing the standard classes CssMinify and JsMinify and is supplied as a library and made available under the Apache License, Version 2.0 ("Apache license"), Copyright (c) 2012-2016 Andrey Taritsyn - <http://www.taritsyn.ru>. You may not use these files except in compliance with the Apache License. You may obtain a copy of the Apache License at <http://www.apache.org/licenses/LICENSE-2.0>.

Unless required by applicable law or agreed to in writing, software distributed under the Apache License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the Apache License for the specific language governing permissions and limitations under the License.

**Microsoft SharePoint Client Components**

Microsoft SharePoint client components (CSOM) are redistributed under the Microsoft software license terms for Microsoft sharepoint client components described here: <http://go.microsoft.com/fwlink/?LinkId=280198>. Ideagen indemnifies and holds Microsoft harmless from any claims, including attorneys' fees, related to the distribution or use of Ideagen software.

**jQuery.mentionsInput v1.0.2**

Zach Snow's jquery.mentionsInput (<https://github.com/zachsnow/jquery-mentions-input>) is a fork of Kenneth Auchenberg's project of the same name. It is a UI component that allows you to "@mention" someone in a text message, just like you are used to on Facebook or Twitter.

jquery.mentionsInput is distributed under the MIT license (<https://github.com/zachsnow/jquery-mentions-input/blob/master/MIT-LICENSE.txt>)

**Jsdom v16.2.2**

jsdom is a pure-JavaScript implementation of many web standards, notably the WHATWG DOM and HTML Standards, for use with Node.js. In general, the goal of the project is to emulate enough of a subset of a web browser to be useful for testing and scraping real-world web applications.

Jsdom is distributed under MIT license (<https://github.com/jsdom/jsdom/blob/master/LICENSE.txt>)

### **Winston v3.3.3**

winston is designed to be a simple and universal logging library with support for multiple transports. A transport is essentially a storage device for your logs. Each winston logger can have multiple transports (see: Transports) configured at different levels (see: Logging levels). For example, one may want error logs to be stored in a persistent remote location (like a database), but all logs output to the console or a local file.

winston aims to decouple parts of the logging process to make it more flexible and extensible. Attention is given to supporting flexibility in log formatting (see: Formats) & levels (see: Using custom logging levels), and ensuring those APIs decoupled from the implementation of transport logging (i.e. how the logs are stored / indexed, see: Adding Custom Transports) to the API that they exposed to the programmer.

Winston is distributed under MIT license (<https://github.com/winstonjs/winston/blob/master/LICENSE>)

### **Nodejs v16.16.0**

Node.js is a JavaScript runtime built on Chrome's V8 JavaScript engine. For more information on using Node.js, see the Node.js Website.

Node.js is licensed for use as follows:

"""" Copyright Node.js contributors. All rights reserved.

Full context available at <https://raw.githubusercontent.com/nodejs/node/master/LICENSE>

### **HtmlAgilityPack**

This is an agile HTML parser that builds a read/write DOM and supports plain XPATH or XSLT (you actually don't HAVE to understand XPATH nor XSLT to use it, don't worry...). It is a .NET code library that allows you to parse "out of the web" HTML files. The parser is very tolerant with "real world" malformed HTML. The object model is very similar to what proposes System.Xml, but for HTML documents (or streams).

HtmlAgilityPack is distributed under MIT license (<https://github.com/zzzprojects/html-agility-pack/blob/master/LICENSE>)

### **TypeScript**

TypeScript is a language for application-scale JavaScript. TypeScript adds optional types to JavaScript that support tools for large-scale JavaScript applications for any browser, for any host, on any OS. TypeScript compiles to readable, standards-based JavaScript. Try it out at the playground, and stay up to date via our blog and Twitter account.

Typescript is distributed under Apache license (<https://github.com/Microsoft/TypeScript/blob/master/LICENSE.txt>)

### **Polly**

Polly is a .NET resilience and transient-fault-handling library that allows developers to express policies such as Retry, Circuit Breaker, Timeout, Bulkhead Isolation, and Fallback in a fluent and thread-safe manner. From version 6.0.1, Polly targets .NET Standard 1.1 and 2.0+.

Polly is Licensed under the terms of the New BSD License

<https://github.com/App-vNext/Polly/blob/master/LICENSE.txt>

### **DateRangePicker v3.1.0**

A JavaScript component for choosing date ranges, dates and times.

Copyright © 2012-2019 Dan Grossman

DateRangePicker is distributed under MIT license

<https://github.com/dangrossman/daterangepicker>

**Tabulator v4.8.1**

Tabulator allows you to create interactive tables in seconds from any HTML Table, Javascript Array or JSON formatted data.

Tabulator is distributed under MIT license

<https://github.com/olifolkerd/tabulator/blob/master/LICENSE>

**Fetch.js**

The fetch() function is a Promise-based mechanism for programmatically making web requests in the browser. This project is a polyfill that implements a subset of the standard Fetch specification, enough to make fetch a viable replacement for most uses of XMLHttpRequest in traditional web applications.

Fetch.js is distributed under MIT license

<https://github.com/github/fetch/blob/master/LICENSE>

**Json2.js**

This file creates a JSON property in the global object, if there isn't already one, setting its value to an object containing a stringify method and a parse method. More info available at <https://github.com/douglascrockford/JSON-js>

The text of the license can be found here: <https://www.json.org/license.html>

**FullStory.js**

FullStory is a commercial client-side telemetry tool. More info available at <https://www.fullstory.com> and <https://www.fullstory.com/legal/partner-terms-and-conditions>

**Spring Boot**

Spring Boot is an open source Java-based framework used to create a micro Service. It is developed by Pivotal Team and is used to build stand-alone and production ready spring applications.

This product is licensed under the Apache License 2.0 agreement.

<https://github.com/spring-projects/spring-boot/blob/master/LICENSE.txt>

**Springfox v2.9.2**

The Springfox suite of java libraries are all about automating the generation of machine and human readable specifications for JSON APIs written using the spring family of projects. Springfox works by examining an application, once, at runtime to infer API semantics based on spring configurations, class structure and various compile time java Annotations.

This product is licensed under the Apache License 2.0 agreement.

<https://github.com/springfox/springfox/blob/master/LICENSE>

**Commons IO v2.6**

Commons IO is a library of utilities to assist with developing IO functionality.

This product is licensed under the Apache License 2.0 agreement.

<https://github.com/apache/commons-io/blob/master/LICENSE.txt>

## Javatuples v1.2

Javatuples is one of the simplest java libraries ever made. Its aim is to provide a set of java classes that allow you to work with tuples. A tuple is just a sequence of objects that do not necessarily relate to each other in any way.

This product is licensed under the Apache License 2.0 agreement.

<https://github.com/javatuples/javatuples/blob/master/LICENSE.txt>

## Others

The following are the npm packages used in production environment and their license information is retrieveable from github repository. The list is generated using license-checker <https://www.npmjs.com/package/license-checker>.

module name	license	repository
@babel/runtime@7.14.5	MIT	<a href="https://github.com/babel/babel">https://github.com/babel/babel</a>
@babel/runtime@7.4.5	MIT	<a href="https://github.com/babel/babel/tree/master/packages/babel-runtime">https://github.com/babel/babel/tree/master/packages/babel-runtime</a>
@popperjs/core@2.9.2	MIT	<a href="https://github.com/popperjs/popper-core">https://github.com/popperjs/popper-core</a>
@restart/context@2.1.4	MIT	<a href="https://github.com/react-restart/context">https://github.com/react-restart/context</a>
@restart/hooks@0.3.26	MIT	<a href="https://github.com/jquense/react-common-hooks">https://github.com/jquense/react-common-hooks</a>
@types/invariant@2.2.34	MIT	<a href="https://github.com/DefinitelyTyped/DefinitelyTyped">https://github.com/DefinitelyTyped/DefinitelyTyped</a>
@types/prop-types@15.7.3	MIT	<a href="https://github.com/DefinitelyTyped/DefinitelyTyped">https://github.com/DefinitelyTyped/DefinitelyTyped</a>
@types/react@17.0.11	MIT	<a href="https://github.com/DefinitelyTyped/DefinitelyTyped">https://github.com/DefinitelyTyped/DefinitelyTyped</a>
@types/react-transition-group@4.4.1	MIT	<a href="https://github.com/DefinitelyTyped/DefinitelyTyped">https://github.com/DefinitelyTyped/DefinitelyTyped</a>
@types/scheduler@0.16.1	MIT	<a href="https://github.com/DefinitelyTyped/DefinitelyTyped">https://github.com/DefinitelyTyped/DefinitelyTyped</a>
@types/warning@3.0.0	MIT	<a href="https://github.com/DefinitelyTyped/DefinitelyTyped">https://github.com/DefinitelyTyped/DefinitelyTyped</a>
attr-accept@2.2.2	MIT	<a href="https://github.com/react-dropzone/attr-accept">https://github.com/react-dropzone/attr-accept</a>
axios@0.21.1	MIT	<a href="https://github.com/axios/axios">https://github.com/axios/axios</a>
bootstrap@4.6.0	MIT	<a href="https://github.com/twbs/bootstrap">https://github.com/twbs/bootstrap</a>
camelcase@5.3.1	MIT	<a href="https://github.com/sindresorhus/camelcase">https://github.com/sindresorhus/camelcase</a>
classnames@2.3.1	MIT	<a href="https://github.com/JedWatson/classnames">https://github.com/JedWatson/classnames</a>
clsx@1.1.1	MIT	<a href="https://github.com/lukeed/clsx">https://github.com/lukeed/clsx</a>
core-js@3.14.0	MIT	<a href="https://github.com/zloirock/core-js">https://github.com/zloirock/core-js</a>
csstype@3.0.8	MIT	<a href="https://github.com/frenic/csstype">https://github.com/frenic/csstype</a>
dayjs@1.10.5	MIT	<a href="https://github.com/iamkun/dayjs">https://github.com/iamkun/dayjs</a>
domelementtype@2.3.0	BSD-2-Clause	<a href="https://github.com/fb55/domelementtype">https://github.com/fb55/domelementtype</a>
domhandler@5.0.3	BSD-2-Clause	<a href="https://github.com/fb55/domhandler">https://github.com/fb55/domhandler</a>
dom-helpers@5.2.1	MIT	<a href="https://github.com/react-bootstrap/dom-helpers">https://github.com/react-bootstrap/dom-helpers</a>
dom-serializer@2.0.0	MIT	<a href="https://github.com/cheeriojs/dom-serializer">https://github.com/cheeriojs/dom-serializer</a>
domutils@3.0.1	BSD-2-Clause	<a href="https://github.com/fb55/domutils">https://github.com/fb55/domutils</a>
dotenv@16.0.0	BSD-2-Clause	<a href="https://github.com/motdotla/dotenv">https://github.com/motdotla/dotenv</a>
entities@4.3.1	BSD-2-Clause	<a href="https://github.com/fb55/entities">https://github.com/fb55/entities</a>
fast-memoize@2.5.2	MIT	<a href="https://github.com/caiogondim/fast-memoize">https://github.com/caiogondim/fast-memoize</a>
file-selector@0.2.4	MIT	<a href="https://github.com/react-dropzone/file-selector">https://github.com/react-dropzone/file-selector</a>
flatpickr@4.6.6	MIT	<a href="https://github.com/chmln/flatpickr">https://github.com/chmln/flatpickr</a>
follow-redirects@1.14.1	MIT	<a href="https://github.com/follow-redirects/follow-redirects">https://github.com/follow-redirects/follow-redirects</a>
html-dom-parser@3.0.1	MIT	<a href="https://github.com/remarkablemark/html-dom-parser">https://github.com/remarkablemark/html-dom-parser</a>
htmlparser2@8.0.1	MIT	<a href="https://github.com/fb55/htmlparser2">https://github.com/fb55/htmlparser2</a>
html-parse-stringify@3.0.1	MIT	<a href="https://github.com/henrikjoreteg/html-parse-stringify">https://github.com/henrikjoreteg/html-parse-stringify</a>

html-react-parser@3.0.1	MIT	<a href="https://github.com/remarkablemark/html-react-parser">https://github.com/remarkablemark/html-react-parser</a>
i18next@19.9.2	MIT	<a href="https://github.com/i18next/i18next">https://github.com/i18next/i18next</a>
inline-style-parser@0.1.1	MIT	<a href="https://github.com/remarkablemark/inline-style-parser">https://github.com/remarkablemark/inline-style-parser</a>
invariant@2.2.4	MIT	<a href="https://github.com/zertosh/invariant">https://github.com/zertosh/invariant</a>
jquery@3.6.0	MIT	<a href="https://github.com/jquery/jquery">https://github.com/jquery/jquery</a>
js-tokens@4.0.0	MIT	<a href="https://github.com/lydell/js-tokens">https://github.com/lydell/js-tokens</a>
lodash@4.17.21	MIT	<a href="https://github.com/lodash/lodash">https://github.com/lodash/lodash</a>
lodash-es@4.17.21	MIT	<a href="https://github.com/lodash/lodash">https://github.com/lodash/lodash</a>
loose-envify@1.4.0	MIT	<a href="https://github.com/zertosh/loose-envify">https://github.com/zertosh/loose-envify</a>
multi-integer-range@4.0.8	MIT	<a href="https://github.com/smikitky/node-multi-integer-range">https://github.com/smikitky/node-multi-integer-range</a>
object-assign@4.1.1	MIT	<a href="https://github.com/sindresorhus/object-assign">https://github.com/sindresorhus/object-assign</a>
popper.js@1.16.1	MIT	<a href="https://github.com/FezVrasta/popper.js">https://github.com/FezVrasta/popper.js</a>
prop-types@15.7.2	MIT	<a href="https://github.com/facebook/prop-types">https://github.com/facebook/prop-types</a>
prop-types-extra@1.1.1	MIT	<a href="https://github.com/react-bootstrap/prop-types-extra">https://github.com/react-bootstrap/prop-types-extra</a>
react@17.0.2	MIT	<a href="https://github.com/facebook/react">https://github.com/facebook/react</a>
react-beforeunload@2.5.1	MIT	<a href="https://github.com/jacob buck/react-beforeunload">https://github.com/jacob buck/react-beforeunload</a>
react-bootstrap@1.6.1	MIT	<a href="https://github.com/react-bootstrap/react-bootstrap">https://github.com/react-bootstrap/react-bootstrap</a>
react-countdown@2.3.2	MIT	<a href="https://github.com/ndresx/react-countdown">https://github.com/ndresx/react-countdown</a>
react-device-detect@1.17.0	MIT	<a href="https://github.com/duskload/react-device-detect">https://github.com/duskload/react-device-detect</a>
react-dom@17.0.2	MIT	<a href="https://github.com/facebook/react">https://github.com/facebook/react</a>
react-dropzone@11.3.2	MIT	<a href="https://github.com/react-dropzone/react-dropzone">https://github.com/react-dropzone/react-dropzone</a>
react-flatpickr@3.10.6	MIT	<a href="https://github.com/coderhaoxin/react-flatpickr">https://github.com/coderhaoxin/react-flatpickr</a>
react-i18next@11.10.0	MIT	<a href="https://github.com/i18next/react-i18next">https://github.com/i18next/react-i18next</a>
react-icons@3.11.0	MIT	<a href="https://github.com/react-icons/react-icons">https://github.com/react-icons/react-icons</a>
react-is@16.12.0	MIT	<a href="https://github.com/facebook/react">https://github.com/facebook/react</a>
react-lifecycles-compat@3.0.4	MIT	<a href="https://github.com/reactjs/react-lifecycles-compat">https://github.com/reactjs/react-lifecycles-compat</a>
react-mentions@4.4.7	BSD-3-Clause	<a href="https://github.com/signavio/react-mentions">https://github.com/signavio/react-mentions</a>
react-overlays@5.0.1	MIT	<a href="https://github.com/react-bootstrap/react-overlays">https://github.com/react-bootstrap/react-overlays</a>
react-property@2.0.0	MIT	<a href="https://github.com/remarkablemark/react-dom-core">https://github.com/remarkablemark/react-dom-core</a>
react-textarea-autosize@8.3.3	MIT	<a href="https://github.com/Andarist/react-textarea-autosize">https://github.com/Andarist/react-textarea-autosize</a>
react-toastify@6.2.0	MIT	<a href="https://github.com/fkhadra/react-toastify">https://github.com/fkhadra/react-toastify</a>
react-transition-group@4.4.2	BSD-3-Clause	<a href="https://github.com/reactjs/react-transition-group">https://github.com/reactjs/react-transition-group</a>
regenerator-runtime@0.13.4	MIT	<a href="https://github.com/facebook/regenerator/tree/master/packages/regenerator-runtime">https://github.com/facebook/regenerator/tree/master/packages/regenerator-runtime</a>
re-resizable@6.9.0	MIT	<a href="https://github.com/bokuweb/react-resizable-box">https://github.com/bokuweb/react-resizable-box</a>
scheduler@0.20.2	MIT	<a href="https://github.com/facebook/react">https://github.com/facebook/react</a>
style-to-js@1.1.1	MIT	<a href="https://github.com/remarkablemark/style-to-js">https://github.com/remarkablemark/style-to-js</a>
style-to-object@0.3.0	MIT	<a href="https://github.com/remarkablemark/style-to-object">https://github.com/remarkablemark/style-to-object</a>
substyle@9.4.1	MIT	<a href="https://github.com/jfschwarz/substyle">https://github.com/jfschwarz/substyle</a>
tiny-invariant@1.1.0	MIT	<a href="https://github.com/alexreardon/tiny-invariant">https://github.com/alexreardon/tiny-invariant</a>
ts-essentials@2.0.12	MIT	<a href="https://github.com/krzkaczor/ts-essentials">https://github.com/krzkaczor/ts-essentials</a>
tslib@2.2.0	0BSD	<a href="https://github.com/Microsoft/tslib">https://github.com/Microsoft/tslib</a>
ua-parser-js@0.7.25	MIT	<a href="https://github.com/faisalman/ua-parser-js">https://github.com/faisalman/ua-parser-js</a>
uncontrollable@7.2.1	MIT	<a href="https://github.com/jquense/uncontrollable">https://github.com/jquense/uncontrollable</a>
use-composed-ref@1.1.0	MIT	<a href="https://github.com/Andarist/use-composed-ref">https://github.com/Andarist/use-composed-ref</a>
use-isomorphic-layout-effect@1.1.1	MIT	<a href="https://github.com/Andarist/use-isomorphic-layout-effect">https://github.com/Andarist/use-isomorphic-layout-effect</a>
use-latest@1.2.0	MIT	<a href="https://github.com/Andarist/use-latest">https://github.com/Andarist/use-latest</a>

uuid@7.0.3	MIT	<a href="https://github.com/uuidjs/uuid">https://github.com/uuidjs/uuid</a>
void-elements@3.1.0	MIT	<a href="https://github.com/pugjs/void-elements">https://github.com/pugjs/void-elements</a>
warning@4.0.3	MIT	<a href="https://github.com/BerkeleyTrue/warning">https://github.com/BerkeleyTrue/warning</a>